To: CN=Glenn Suter/OU=CI/O=USEPA/C=US@EPA;CN=Kate

Schofield/OU=DC/O=USEPA/C=US@EPA[]; N=Kate Schofield/OU=DC/O=USEPA/C=US@EPA[]

Cc: [] Bcc: []

From: CN=Phil North/OU=R10/O=USEPA/C=US

Sent: Wed 7/25/2012 11:47:38 PM

Subject: Fw: BBA: Public Comment Technical Review - 3787 Center for Water Advocacy

PAN Review Center for Water Advocacy.docx

I'm guessing that Jeff forwarded this but in case he did not.

Phillip North
Environmental Protection Agency
Kenai River Center
514 Funny River Road
Soldotna, Alaska 99669
(907) 714-2483
fax 260-5992
north.phil@epa.gov

"To protect your rivers, protect your mountains."

---- Forwarded by Phil North/R10/USEPA/US on 07/25/2012 03:47 PM -----

From: Phil North/R10/USEPA/US
To: Jeff Frithsen/DC/USEPA/US
Date: 07/25/2012 11:33 AM

Subject: Re: BBA: Public Comment Technical Review - 3787 Center for Water Advocacy

Here is the review of the first one. Please send another.

The author used our language to highlight conclusions we already reached and made no suggestions for change.

Phillip North
Environmental Protection Agency
Kenai River Center
514 Funny River Road
Soldotna, Alaska 99669
(907) 714-2483
fax 260-5992
north.phil@epa.gov

"To protect your rivers, protect your mountains."

From: Jeff Frithsen/DC/USEPA/US
To: Phil North/R10/USEPA/US@EPA
Cc: Jenny Thomas/DC/USEPA/US@EPA

Date: 07/25/2012 06:27 AM

Subject: BBA: Public Comment Technical Review - 3787 Center for Water Advocacy

Phil:

Thanks for agreeing to review and summarize technical comments submitted to the Bristol Bay Assessment Docket.

Attached is an entry for your review. Also attached is a form to get you started., but see my previous email from yesterday for guidelines.

Thanks.

Jeff

[attachment "Center for Water Advocacy 3987DRAFT.pdf" deleted by Phil North/R10/USEPA/US]

Jeffrey B. Frithsen, Ph.D.
Acting Associate Director for Ecology
National Center for Environmental Assessment, 8623-P
Office of Research and Development, U.S. Environmental Protection Agency
1200 Pennsylvania Avenue, NW, Washington, DC 20460
703-347-8623 (office); 410-336-8535 (cell)

Physical Address (FedEx, UPS, and Overnight Deliveries) Two Potomac Yard Building - Room N7741 2733 S. Crystal Drive Arlington VA 22202